

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently amended) A system for treating a skin surface target comprising:

(a) an applicator containing at least two RF electrodes configured to be applied to the skin surface, so as to apply an RF current to a skin surface area located between the electrodes when the applicator is applied to the skin surface, the skin surface area containing at least a portion of the target;

(b) a temperature effector configured to create a temperature difference between the target and a skin surface surrounding the target such that the target is at a temperature that is at least 5C° higher than the surrounding skin surface, wherein the temperature effector heats the target.

2. (Canceled)

3. (Currently amended) The system according to Claim 2₁ wherein the temperature effector comprises a light source configured to apply optical energy to the target.

4. (Canceled)

5. (Canceled)

6. (Currently amended) A method for treating a skin surface target comprising:

- (a) creating a temperature gradient between the target and a skin surface surrounding the target such that the target is at a temperature that is at least 5C° higher than the surrounding skin surface; and
- (b) applying RF energy to a skin surface area containing at least a portion of the target, wherein the temperature gradient is created by heating the target.

7. (Canceled)

8. (Currently amended) The method according to Claim 76 wherein the target is heated by applying optical energy to the target with an intensity of about 5 to about 100 Joules/cm² for about 1 to 200 msec.

9. (Canceled)

10. (Canceled)

11. (Original) The method according to Claim 6 wherein the target is selected from the group comprising a vascular lesion, pigmented lesion, hair follicle, wrinkle and acne.

12. (Original) The method of Claim 6 wherein the RF energy has a power level of 5 to 200 W.

13. (Currently amended) A method for treating a skin surface target comprising:

- (a) activating a temperature effector to heat the target in order to create a temperature gradient between the target and a skin surface surrounding the target such that the target is at a

temperature that is at least 5C° higher than the surrounding skin surface;

(b) terminating the activity of the temperature effector; and

(c) after said terminating step, applying RF energy to a skin surface area containing at least a portion of the target.

14. (Currently amended) A system for treating a skin surface target comprising:

an applicator containing at least two RF electrodes configured to be applied to the skin surface, so as to apply an RF current to a skin surface area located between the electrodes when the applicator is applied to the skin surface, the skin surface area containing at least a portion to the target;

a temperature effector configured to heat the target in order to create a temperature difference between the target and skin surface surrounding the target such that the target is at a temperature that is at least 5C° higher than the surrounding skin surface; and

a processor coupled to said temperature effector and said RF electrodes and configured to sequentially activate said temperature effector, terminate the activity of said temperature effector, and then activate said RF electrodes.